



# Window Film from MoonRaker™

## SAPPHIRE BLUE FADER FILM™ 35

*(transition from Chrome to Blue)*


### Performance Data

Visual Light Transmittance	REFLECTIVE	5.3 %
	NON REFLECTIVE	33.2 %
Visual Light Reflectance	REFLECTIVE	5.23 %
	NON REFLECTIVE	1.11 %
Total Solar Transmittance	REFLECTIVE	10.0 %
	NON REFLECTIVE	61.9 %
Total Solar Reflectance	REFLECTIVE	7.9 %
	NON REFLECTIVE	0.6 %
Total Solar Absorbance	REFLECTIVE	82.1 %
	NON REFLECTIVE	37.4 %
Total Solar Energy Rejected	REFLECTIVE	63.0 %
	NON REFLECTIVE	26.7 %
UV Transmittance		2 ↓ %

### Physical Properties

Thickness of Polyester Film (mil)	1+0.5
Scratch Resistant Coating	2H
Peel Strength (kg/Inch)	0.7

CHROME  
TO  
BLUE



This sheet contains technical data for use as a guideline. Data shown is nominal and for estimating purposes only. Normal variances will occur and are dependent on numerous conditions including substrate, application, processing conditions and the actual glass the product is applied to. Data should not consider the information as absolute. IGT readings may vary depending on testing equipment. The maker does not warrant or guarantee that the actual finished product will provide these users test results.